



FIXED FRAME SCREEN

USER MANUAL



To the Owner

Thank you for purchasing our quality screen uses excellent matte white fabric and mechanical components to give you trouble free enjoyment for years. Please take a moment to read the user manual before installing and using to avoid trouble happened.

Please subject to actual product if appearance and craft update.


⚠ Safety Guide

1. When assembling, it is forbidden to stand underneath the screen to avoid any hazard. Expansive bolt should be firmly punched and fixed into the wall or ceiling.
2. Be sure the ground wire is connected with power cable effectively to avoid electric shock.
3. When using the laser pointer function on remote control, please be sure not to point to people directly to avoid any hurt.


① Remark:

1. Do not run the screen continuously over 4 minutes (The motor has anti-overheating function, you can operate again after 20mins), please do after cooling the motor down.
2. Do not scratch or fold up the fabric.
3. After usage, please check and confirm the cleanness of the screen, before retracting the fabric into the casing.
5. Screen care
Wet cleaning: with a soft towel moistened with water or weak alkaline detergent diluted liquid (Do not use such as alcohol, ether or other kind of liquor).


Parts	Ash	Impurity
Casing	Rid the little dusty with feather duster	Clean with a mild soap solution, then dry with cotton cloth, take care to avoid casing scratching
Fabric	Clean the dusty with feather duster	Brush the dirty with cotton cloth



ACCESSORIES



x1



x1



x32-56

B.24.050080.6



x8

B.33.050300.6




x8

B.99.008000.0




x4

L.06.03.0001.4



x8

J.97.09.0005.0




x8

J.97.09.0004.0



x4

J.97.09.0007.0



x4

J.97.09.0006.0



x30+

S.07.01.0001.3



x30+

S.07.01.0002.3



x1



J.95.09.0002.0




x8-12

S.07.04.0000.0

ASSEMBLING




1



x8

J.97.09.0005.0




x8

J.97.09.0004.0







x32

B.24.050080.6




3

2




3




4

4




5



x8

J.97.09.0005.0



x8

J.97.09.0004.0



x4

J.97.09.0007.0




x4

J.97.09.0006.0






x56

B.24.050080.6



6




7

7



 **x24**

B.24.050080.6




J.97.09.0006.0

x4






8


8




J.97.09.0005.0



9



9








x1



x4-8




S.07.04.0000.0






x30+


S.07.01.0001.3




14



15










x1



x4-8

S.07.04.0000.0












x1

S.07.04.0000.0





20



x8

B.33.050300.6








x8

B.99.008000.0



x4

L.06.03.0001.4





HiViLux®

HiViLux GmbH
Nording 30
45894 Gelsenkirchen Germany
Fax: 0209-59031367
Mobil: 0162-4039463
E-Mail: info@hivilux.de

